



7th, 9th & 10th March 2020

OXFORD ACADEMIC PAPER WRITING RETREAT for nurses

This three-day Academic Paper Writing Retreat is sponsored by the *Oxford Health Biomedical Research Centre (BRC)*, *Oxford cognitive health Clinical Research Facility (CRF)*, the *Oxford Institute for Nursing, Midwifery and Allied Health Research (OXINMAHR)* and *Oxford BRC*.

It is open to all nurse researchers at any career stage, working at Oxford Health NHS Foundation Trust, OXINMAHR or Oxford University Hospitals NHS Foundation Trust who have a paper(s) to write up for submission to an academic journal and need time and space to focus on this without interruption.

We ask that delegates who attend commit to the full three days (including a Saturday), and that you come with a clear writing goal and a specific material outcome that you wish to achieve. It is an expectation that all attendees will have submitted their chosen paper(s) to an academic journal within eight weeks of the Retreat.

The event will take place at the Department of Psychiatry, on the Warneford Hospital site, where space will be provided to write without distraction. Mentor support will be provided. There will be a welcome dinner on Saturday 7th March at kazbar, and breakfast, lunch and refreshments will be provided on all days.

Open [now](#) to applicants, 15 places available. Contact writingretreat@psych.ox.ac.uk for further details.

Find us



Apply by
Fri 7th Feb 2020

Protected academic
paper writing time

Network with
fellow researchers

1-2-1 mentor
support available

"It was great to get direct feedback on my work and being able to work without any distractions"

Sept 2019 retreat participant

Retreat venue

Department of Psychiatry,
University of Oxford,
Warneford Hospital,
Oxford. OX3 7JX.



Retreat meal

Kazbar, 25-27 Cowley
Road, Oxford, OX4 1HP
Sat 7th Mar @ 6.30pm



FUNDED BY
NIHR | National Institute
for Health Research

Oxford Institute of
Nursing, Midwifery & Allied Health Research

This project is funded by the NIHR Oxford Health Biomedical Research Centre and NIHR Clinical Research Facility. The views expressed are those of the author(s) and not necessarily those of the NIHR or the Department of Health and Social Care.